Exhibit 2:
Alignment of SEQ ID NO:2 with C-type Lectin Domains

rat MBP	K	F	F	V	Т	N	Н	E	R	М	P	F	S	K	v	K	A	L	C	S	E	L	R	G	Т	v	A	I	P	R	Ŋ
	Accounting and the second of t															de D	5 V	841.A	*48												
human E-selectin	W:	3	Y :	N	Т	S	Т	E	A	M	Т	Y	D	E	A	S	A	Y	C	Q	Q	R	Y	T	Н	L	V	A	I	Q	N
rat ML	S	<u> </u>	Y	W	F	S	Q	S	G	K	P	W	P	E	A	D	K	Y	C	Q	L	E	N	S	N	L	V	V	V	N	S
SEQ ID NO:2	V:	Ι.	Y	F	Н	D	Т	SI	R	L	N	F	E	E	A	K	E	A	C	R	R	D	G	G	Q	L	V	S	I	E	S
1.	44										<u>-</u> _											١									75
,																						•									
rat MBP	A 1	Ξ]	E	N	K	A	I	Q	E	V	A	K			T	S	A	F	L	G	I	T	ם	E	V	T	E	G	Q	F	
	β 2																														
human E-selectin	K	∃ 1	E	I	E	Y	L	N	S	I	L	S	Y	SP	S	Y	Y	W	I	G	I	R	K		V	Ŋ		N	V	W	
rat ML	L Z	<u>A</u> 1	E	Q :	N	F	L	Q	Т	Н	M	G	S		V	V	Т	W	I	G	L	T	D		Q	N		G	P	W.	
SEQ ID NO:2	EI) 1	E	Q_	K	L	I	E	K	F	I	Eì	1LI	P	SI	OGI	OF	W	I	G	L	RRI	REI	ΞK	QS	SNS	STA	AC()DI	Y	sa ' nas ell
	76																11	7													
											· · · ·																				
rat MBP	M	<u> </u>	<u>V</u>		T	G	G	R	L	Т			Y	S	N	W	K	K	D.	E	P	N	D	H	G	S	G	E	D	C	
	β3 **															0															
human E-selectin	VV	V	V	G_	T	Q	K	P	L	T	E	E	A	K	N	W	A	P	G	E	P	N	Ŋ	R	Q	K	D	E	D	C	
rat ML	R V	7	V	,	D	G	T	D	Y	E	K	G	F	T	H	W	A	Р	K	Q	P	D	N	VY(SHO	GLO	GG	3 E	D	C	
SEQ ID NO:2	A V	7	T		D	G	S		I	S		Q	F	R	N	W	Y	V	D	E	P	S	C		G	S		E	V	C	
	118	3																												14	12
100 × 70																															
rat MBP	V 3	r :	I V	<u>V</u>				D	N	G	I	,	W	N	D	I	S	C	Q	A	S	Н	T	A	V	C	E	F	P	•	
		34 _A		Tea.							- N	Æβ	5. <u>*</u>	*	*.* ***	140						N	7 (k)	<u>π</u> β	6 .	<i>A</i>	31 4 E	Je Ari	<u>a</u>		
human E-selectin	V	Ξ :	I ?	Y	IK	R	EK	Œ	V	G	N	1	W	N	D	E	R	C	S	K	K	K	Ļ	A	L	C	¥	T	A		
rat ML	A I	<u> </u>	F '	r_				S	D	G	F	<u> </u>	W	N	D	D	V	C	Q	R	P	Y	R	W	V	C	E	M	K		
SEQ ID NO:2	/ V	7 1	M Y	Y :	ΗQ	PS	AF	PAG	IC	GI	YV	ΙFÇ	W	N	D	D	R	C	N	M	K	N	N	F	I	С	ĸ	Y	S		
	143	3																											17	9	

This Exhibit is based on Figure 1 of Exhibit 1: Bajorath, J., 1996, "A molecular model of the carbohydrate recognition domain of a rat macrophage lectin and analysis of its binding site", *Journal of Molecular Graphics* 14: 297-301.

MBP: mannose-binding protein; ML: macrophage lectin.

Residues in boldface correspond to boxed residues in Figure 1 of Exhibit 1 (Bajorath, 1996, Journal of Molecular Graphics 14: 297-301), and represent residues thought to be determinants of the C-type lectin fold.

Horizontal shaded bars indicate the structurally conserved regions in MBP and E-selectin.

Regions labeled $\alpha 1-\alpha 2$ and $\beta 1-\beta 6$ are major secondary structure elements in E-selectin.

Double asterisks indicate the functional calcium-binding site of MBP.

The residue numbering shown below each set of sequences is that of SEQ ID NO:2.